

(12) UK Patent Application (19) GB (11) 2 186 006 (13) A

(43) Application published 5 Aug 1987

(21) Application No 8602345

(22) Date of filing 30 Jan 1986

(71) Applicant
Richard Oliff,
'Threeways', 36 High Street, Greeton,
Northamptonshire NN17 3DE

(72) Inventor
Richard Oliff

(74) Agent and/or Address for Service
Richard Oliff, 'Threeways', 36 High Street, Greeton,
Northamptonshire NN17 3DE

(51) INT CL⁴
A47K 13/14

(52) Domestic classification (Edition I)
E1C 35G1


(56) Documents cited
GB 0656450 US 4359787
GB 0416555 US 4050105
EP A2 0097133 US 2994887

(58) Field of search
E1C
Selected US specifications from IPC sub-class A47K

(54) Disposable toilet seat cover


(57) A disposable toilet seat/bidet cover comprises a two-ply tissue which is attachable to a toilet seat or bidet cover either by means of one or more adhesive strips or by means of elasticated tape placed between the outer and inner perimeter of the tissue. The tissue may be folded for ease of storage and/or distribution.

Example of dimensions :




Due to the flexibility in manufacturing sizes, the above is a drawing of a standard disposable toilet seat/bidet cover

GB 2 186 006 A



2186006

Example of dimensions :



Due to the flexibility in manufacturing sizes, the above is a drawing of a standard disposable toilet seat/bidet cover

SPECIFICATION

The disposable toilet seat/bidet cover

- 5 This invention relates to the disposable toilet seat/bidet cover.

The disposable toilet seat/bidet cover is intended to be placed on top of a standard toilet seat or bidet, either wooden, plastic or enamel and oval in shape,

- 10 and by way of example, illustrated by the accompanying drawing.

The disposable toilet seat/bidet cover is made of two ply tissue paper and is flexible enough in design to be manufactured to fit any current or past design

- 15 of toilet seat or bidet.

The accompanying drawing gives an example dimension specification which may be scaled down to accommodate any size of convenience to be covered.

- 20 The tissue is designed to be either in one continuous piece of two-ply or, allowing for practical disposal, manufactured with tear perforations equidistant to match the size of the disposable toilet seat/bidet cover.

25

CLAIMS

1. The disposable toilet seat/bidet cover can accommodate for safety, an adhesive strip to aid the
30 prevention of slipping. This strip would be centrally placed for sure fixture to the top of the toilet seat or bidet.

2. The disposable toilet seat/bidet cover can accommodate a fine surround of elasticated tape,
35 placed between the two ply tissue both on the outer and inner perimeter, for sure fixture.

3. The disposable toilet seat/bidet cover may be folded or compressed in manufacture, to allow for inexpensive distribution.

Printed for Her Majesty's Stationery Office by
Croydon Printing Company (UK) Ltd, 6/87, D6991685.
Published by The Patent Office, 25 Southampton Buildings, London, WC2A 1AY,
from which copies may be obtained.

THIS PAGE BLANK (USPTO)